

North Cr. East Boundary of Sec. 25

24.09 To our Elm 26 in di.

40.00 Set 1/4 Sec. post pin on

M-10 Elm 10 in N 52 W 3 1/2 Mb

Do 14 " S 27 W 23 "

64.55 Greenwood 8 in di

68.00 Cont 13 with 4 Iron Swamp

80.00 Set post Co. to Sect. 24 & 25, pin on

M-9 with 7 in S 17 W 15 Mb

Alph 5 in N 24 W 27 "

Found the source

North Cr. the East Boundary of Sec. 24

11.10 A Brook 61 w. Emme Co.

11.00 S. pt - the Swamp.

20.54 Sugar 22 in diam.

41.00 Set 1/4 Sec post pin on

Greenwood 7 in S 15 W 29 Mb

Cogon 26 in N 33 1/2 W 26 "

62.34 Sugar 28 " diam.

80.00 Set post Co. to Sect. 13 & 24 pin on

Beech 11 in. S 28 W 65 Mb

Sug. 14 N 37 W 11 "

Found 4 Timber source as last mile

West On South Bound. of Sec. 31

00.93 A Stream 132w. Course S.

19.28 W.O. 48 in. di.

40.00 Set 1/4 Sec post for a

Be 7 in. N 79 E 42 Ms

Do. 7 in. N 21 W 29 in

61.54 Be 10 in di.

64.26 To Grand River 208 Ms wide. East

Set post for a Sassafras tree N 68 E 20 Ms

Elm 6 in N 1 1/2 W 14 Ms

66.34 Set post on the W. Bank of River for an

Elm 7 in N 72 W 26 Ms

Do. 5 in. S 11 W 45 in

82.56 Set the Range line 9 Ms. N. of the timber post

and set post. Co. to Towns 243 Ms N

Ranges 243 W for a W.O. 9 in 916 W

12 Ms and a Bench 10 N 47 E 30 Ms

Sound & Timber same as the last mile.

May 13th 1825

Surveyed By John Mullett D.S.

East Boundary run. 4° 25' E.

North On the East Bound. of Sec 36. Jan. 9. 1826

23.69 Lynn 12 in. di.

40.00 Set 1/4 Sec post for a

Sig. 18 in S 33 W 33 Ms

Be 18 N 59 W 55 1/2 Ms

65.46 Be 10 in. di.

80.00 Set a post Co. to Sec. 25 & 36 for a

N-11 Be 20 in N 25 W 26 Ms.

Do 20 S 27 W 69 in

Sound posts & railing and 2 posts Timber Sugar, Beach.
Lynn same. Chg. same

East On a Random Between Sec. 25 & 36 North Between Sections 25 & 26.
 28.00 East-Tam. Swamp 14.48 B.S. 10 in. oli.
 39.60 Lft " " K-10
 40.00 Set a temp. 1/4 Sec. post. 21.00 Marked the 1/4 Sec. Cor. on a 13.50 5 in. diam.
 79.78 Post. the East Bound. 10 Wood post. 65.00 Enter Alder Swamp
 M-11 Land good Timber Beech, Sugar, 16.85 Maple 4 in. oli.
 Oak, Lignu. etc. 16.00 Set post in hole for Conto Secs. 23, 24, 25 & 26
 K-9 Aspen 14 in N 85 1/2 E 550 M.
 West Connected between Sec. 25 & 36 D.O. 10" N 5 E 950 "
 39.89 Set 1/4 Sec post at cor. on the line. Land on the 1/4 mile pretty good
 L-11 Beech 16 in S 42 1/2 E 19 M Timber Beech, Sugar, Oak etc
 " 4 in S 23 " Last 1/2 mile Swamp
 " Elm 10" N 42 W 15 "
 42.20 Tam. 7 in oli.
 79.28 To Sec. corner.

East On Brand's. Butte. Sec. 24 & 25

5.56 Left the trap & enter Beech Ridge

8.50 Enter. Town Ship.

30.50 Left " "

40.00 Set a trap. 1/4 Sec. post

79.82 Out the East Bound. 20 Mts. S of post

N-9 Sound from & Broken Hills down by

West Connected Between Secs 24 & 25

2.81 Be. 9 in. oli.

39.91 Set 1/4 Sec post at w.d. on this line

L-9 Elan 18 in. S 7 W 16 H.

Be 10" N 57 E 8..

79.82 To Sec. Corner.

Sunday 24th Dec. 1876

18th Between Secs 23 & 24

12.50 Left trap & enter high ridge

40.00 Set 1/4 Sec post for a

Be 10 in. N 87 E 24 Mts

Boxwood 4 N 89 W 30 Mts

48.00 Ent Willow Swamp

58.00 A Brook 6 l.w. Course East

80.00 Set post cor to Sect 13.14. 23 & 24

Town 9 in N 37 W 26 Mts

Aspen 10. S 114 W 44 "

This mile is mostly all Swamp

North On the East Boundary of Sec. 1, T. 3, N. R. 11

16.64 Be. 13 in. di.

40.00 Set 1/4 Sec. post for a

Be. 10 in. N 34 1/2 E 17 M

Do 13 in. S 35 W 26 in

56.88 B. Ash 10 in. di.

80.00 Set a temporary Post

Sound & Timber same as on the last.

Surveyed by Lewis Lyon

D. S.

The foregoing Township line was

Corrected by Messrs Evans etc.

U. S.

Subdivisions

15th Between Sections 35 & 36

17 Beech 18 in. diam.

11.00 Set 1/4 Sec. post for a

Be. Fir. S 63 E 12 M.

W Ash 8 in. S 76 1/2 W 13 in.

11 Maple 14 in. di.

11 Set post for 6 Sec 25. 26. 35 & 36 for

Byo. Fir. N 57 E 30 M

Be 9 in. N 61 W 13 in

Local good Timber, Beech Sugar,

Ash, Spruce & Fir.