

44

East on a Random line between Sted. 11814

15.00 Touched the North End of a small pond.

40.00 Set a trap $2\frac{1}{4}$ Sec. post, in trap.

80.33 Set the trap line 20th N. of post

Found bad and Summary.

Next Correltd between Sted. 11814

40.16 Set the $\frac{1}{4}$ Sec post standard on Run line

Town. 5in. S. 22 W 12th.

Do. 18. S. 22 B 32..

80.33 To See. Corner.

45

North between sections 108 & 11.

6.00 Set trap.

6.30 before 5in. W.

38.00 East trap.

40.00 Set $\frac{1}{4}$ Sec. post. Saw one

Elm 12in. N 61 W 40th.

Town 10. N 54 B 102..

49.40 Set a post on the South shore of a small lake

Elm 6in. S. 28 28th.

Do. 14. S 89 W 344..

80.00 Set post E. to Sted. 2.3.10811, in the cut.

North. Between Stations 94-10.

39.80 White oak. 8 in. diam

40.00 Set a $\frac{1}{4}$ Sec. post from which a

W. Arb. 8 in. 9438 22 Ms.

Thick 8 in. 974 W 10"

52.00 End - Manuka

61.00 Left "

63.00 W. Q. 14 in. di.

80.00 Set post on to Seal 9. 4. 9810 fur.

W. Q. 14 in. 9458 & 40 Ms.

Do. 8 in. 979 W 35"

Found 2nd note, & Timbered with

Oak & Hickory

East On a Random line between Seal 3 & 10.

12.25 End Seal.

31.00 4 Creek 121. w. Corner South.

40.00 Set a limb $\frac{1}{4}$ Sec. post.

71.50 To the shore of the Lake

79.87 Out the N. & E. line in the Lake.

Land very swampy

Walt. Connected Between Seal. 3 & 10.

8. 37 Set a post on the west shore of the Lake fur.

SWR for C 9808 & 2

Wellow 5 in. 962 W 98 Ms.

Aspen 12. 97 W 117.

89.94. Set $\frac{1}{4}$ Sec. post at an dist. on true line

Elev 2 in. 955 B. 9 Ms.

Aspen 6 in. 968 W 14"

41.80 Jam. 5 in. di.

79.87 To See Corner!

46 J. H. A. R. 1 W

East on a New Line between shed 2411 &

3467 To the East shore of the Lake in Howard

4000 Set a benchmark 1/4 Sec post

7800 Left Stake

7997 Set the NW 1/4 line 13 Ms. W of the post

found very firm & firm by

West Corralled Between shed 2811.

3994 Set a 1/4 Sec post at on. dist on 7 in line

Corner 12 in. 452 W 14 Ms.

Do. 12 in. S 59 1/2 E 16 in.

4350 Town 8 in. etc

4530 Set post on the East shore of the Lake for

North 6 in S. 198 42 Ms.

W. 4th 5. N 718 32

7997 To Sec. Corner

J. H. A. R. 1 W

Monday June 9 1908-1897

North Between Sections 243

6509 Set a post on the North shore of the Lake for

Town 6 in. N 82 E 14 Ms.

Appl. 6 in. N 78 W 69

7941 Set the North Boundary of the East of post for

Shed 34435 75 N. N. 1 W. and set a

post cor. to shed 2843 for a

N. O. 1 in. S 11 W 36 Ms

N. O. 20. S 72 E. 49 in.

(Description of found omitted etc.)