

East On a Random between Steel 9816

31.00 East-Town. Sharp.

40.00 Set on top of $\frac{1}{4}$ Sec. part.

73.00 Left Sharp.

80.14 part. A. P. S. line 5 $\frac{1}{2}$ M. South of part

Found very shrunken.

West Connected between Steel 9816.

40.17 Set a $\frac{1}{4}$ Sec. part at or about on 3. in

Town. 12 in. diam. Marked for Co.

42.00 Town. 7 in. diam.

80.14 To See. Corner.

Saturday Feb 3^d 1897.

North Between Sections 889.

29.63 W. D. 12 in. diam.

40.00 Set a $\frac{1}{4}$ Sec. part - for a

W. D. 12 in. 9638 17 M.

Thick 4 9627 25"

47.00 East Sharp.

77.00 Left Sharp.

78.30 upon 5 in. diam.

80.00 Set part Co. Steel 4. 5. 889. for (E3)

B. D. 22 in. 9308 4 $\frac{1}{2}$ M.

S. E. corner of line N 57 W 15 $\frac{1}{2}$ M

W. D. 20. 9288 14"

Found on the 18 $\frac{1}{2}$ mile 2nd mt.

Trunk mostly East. South $\frac{1}{2}$

mile Shrunken

68

East On a Random line between Steel 1489

40.00 Set of traps? $\frac{1}{4}$ Sec. post.

45.00 Set traps.

66.00 Lgs ..

79.89 Set of 8 S. line 8 W. S. of post.

Found 2nd row Timber Oak.

Bush, Sugar etc.

West On machine between Steel 1489.

39.95 Set $\frac{1}{4}$ Sec. post at road on machine line.

B.O. 12 in. 9286 37 W.

Blm 6" 419 W 27"

44.70 Be 10 in. diam.

79.89 50 Sec. Corner?

69

North Between sections 1485.

7.98 B.O. 26 in. diam.

11.00 Enter Town. July.

40.00 Set $\frac{1}{4}$ Sec. post for. an.

Aspen 14 in. S. 24 W 35 W.

W.O. 3 .. 9486 40"

61.00 Lgs Swamp

62.50 B.O. 22 in. di.

79.10 Set N. Boundary 37 W. East of post

Can of Steel 328335 N. R. 1 W. and

set post - on to Steel 1485 has an

Aspen 6 in. S. 11 W 31 W

Do. 5" S. 53 B 11"

Found very poor and stumpy.

Sunday Feb 19 4th 1827

(E-1)

(E2)

78 J. H. A. R. 1 W.

North Bottom Station 788.

2753 B. 4th 20 in. diam.

4000 Set on 1/4 Sec. post for a

B. 24 in. 275-217 Ms

Wash 6.. 2808 25"

6071 Sawwood 6 in. di.

8000 Set on post on 5' 6. 788. 6

(C-3)

Elm 20 in. 2. 46 W 53 Ms.

Lignum 26.. 4808 21"

Land very good. Timber Sugar

Beck. Lignum 22. 21. 9. 3 in.

J. H. A. R. 1 W. 79

East on a Random between Seal 588

3100 East Swamp;

4000 Set on temp 1/4 Sec. post.

4100 Left Swamp.

5800 Enter .. again

7200 Left the tower

8018 Set on 1/4 Sec. line 14 Ms 269 post.

West On the Trunk between Seal 588.

4009 Set on 1/4 Sec. post at road. for a

(O-3)

B. 4th 12 in. 2608 26 Ms

Elm. 6.. 4338 40..

4300 B. 4th 9 in. diam

8018 70 Sec. Corner.

Northwestern Sections 586.

23.50 Be 12 in. di

38.00 Entire bed Tam. Shovels

40.00 Set 1/2 the post for wire

(C-2)

Atten 5 in W 44 W 55 N

13.44 3.. of 26 & 44"

79.25 Int. North Boundary 41 N. East of 1st

(C-1)

Co of Secs 30832 7.5 N. R. 1 W.

and set a post cor. of Sec. 30831

Town. 5 in. of 80 & 55 N.

Do. 4.. of 55 W 33"

Found on the Pyramite post.

Last 1/2 bed & Shovels.

Timber Oregon Spruce. Elm etc.

Wednesday Feb. 9th 1892

West. Western Sections 30831

2.00 East. Shovel.

17.00 Sht "

20.50 Be 10 in. diam.

40.00 Set a 1/2 the post for wire

Be 7 in of 51 W 4 N

Aug. 22. 1-58 & 30.

62.42 W. At 12 in. di.

89.64 Int. the West-Boundary 12 N. S. of post

cor of Secs 25836. 7.4 N. R. 2 W.

and set a post cor. Secs 30831 N.

Be 4 in. of 81 & 18 N

Elm 24.. N-67 & 43"

(Description omitted - etc.)