

Index Map.

res on the lines refer to the page

17	16	15	14	13
5 68	4 57	3 46	2 35	1 24
62	67	56	45	34
3 66	9 55	10 44	11 33	12 22
4 65	54	43	32	21
17 64	16 53	15 42	14 31	13 20
6 63	52	41	30	19
10 62	21 51	22 40	23 29	24 18
3 61	50	39	28	17
29 60	28 49	27 38	26 27	25 16
8 59	48	37	26	15
2 58	33 47	34 36	35 25	36 14
1 57	4 46	3 35	2 24	1 13

Index of the Lake page 85
 led down Grand River .. 86 to 91.
 led up Grand River 92 to 97

ONONDAGA
 Township 1st North of Range No. 2 West

South Boundary (var. 4° 30' E)

West On the South Boundⁿ of Sec. 36.

- 29.79 W.O. 18 in. di.
- 35.44 W.O. 20 " " L-13
- 40.00 Set a 1/4 Sec post for a
 W.O. 9 in. N 56 1/2 E 25 lbs.
 Do. 14 in. N 33 1/2 W 41 "
- 41.00 W.O. 11 in. di.
- 57.28 Maple 15 " "
- 80.00 Set post^s Cor to Sect 35 & 36 for a
K-B
 - Honewood 10 in. N 71 W 36 lbs
 - Ash 11 " N 57 E 35 "

Land Rolling and Thicketty

Timber Oak & U. S. Hard & Soft

* Post at Southeast corner of Section 36 for

13 Oak 7 in. N. 14 W. 39 lbs } W. Oak 14 in. N 35 1/2 W 106 lbs
Jackson

Do. 4 in. N 32 E. 27 lbs
 original

JAN 1824
 J. Wampler DS

On the South Bound? of Sec. 35

Enter Swop.

Left ..

Ent Prairie

docham

Set $\frac{1}{4}$ Sec post for a J-13

Poplar 13 in. N 85 W 34 lbs.

R. Oak 18 N 16 $\frac{1}{2}$ E 50.

4 Run 10 l. w. Course South & W

4 W 16 in. di.

4 Run 5 l. w. Course South

Hick 13 in. di

doch

Set post Cor to Sect. 34 & 35 for a

Hick 13 in. N 66 E 26 lbs J-13

hard 7 .. N 85 $\frac{1}{2}$ W 20.

Land on the 1st same as before; the rest

ood Land well timbered

West On the South Bound? of Sec. 34.

5.39 W. O. 44 in di.

28.90 Be 16 in di

40.00 Set $\frac{1}{4}$ Sec post for a

H-B Sec. 8 in N 57 $\frac{1}{2}$ E 31 lbs

Do. 19.. N 24 W 3 ..

66.80 Poplar 16 in di.

80.00 Set post Cor. to Sect. 33 & 34 for a

G-X B. Oak 30 in. N 37 E 286 lbs.

W Oak 40.. N 48 W 207.

Land Rolling and Shickety

Timber Oak U.S. Sassafras Ashes etc.

the South Bound? of Sec. 33.

W.O. 30 in di.

B.O. 28.. ..

at 1/4 Sec post - fur. a

F-13

in 34 in N 32 E 9 Ms

^{Sycamore}
Sycamore N 63 1/2 W 40..

to post at Washitanan River fur. a.

apple 13 in N 25 E 48 Ms

elm 8.. S 15 W 20..

red spruce 9 in. diam. for corner the west side

12 N 25 E 40

Washitanan River

24 N 41 E 34

E-13

at Oak 30 in di.

to post Cor to Sect. 32 & 33 fur. a
about 12 S 50 W 291

Oak 11 in. N 41 1/2 W 186 Ms.

at 16 N 15 W 304

Do 11" N 84 1/2 E 219..

at good & well Timbered.

West. On the South Bound? of Sec. 32.

40.00. Set a 1/4 Sec post fur. a

D-13 B.O. 4.. N 86 W 53 Ms

Do 4.. N 3/4 W 32..

73.14. Thick 4.. di.

80.10. Set a post Cor to Sect. 31 & 32 fur. a

C-13 B.O. 6 in. N 77 W 20 Ms

W.O. 18.. N 46 E 78..

Land Rolling & Stoney Badly Timbered.

the South Bound^y of Sec. 31.

at Town. Swth.

1- " "

1/4 Sec post for a.

O. 7 in N60W 112 Ms

O. 9.. N58 262..

in 18.. di.

1/4 post Cor. to Towns 141 North

ages 243W for an

1/2 5 in N76 1/2 W 3 Ms

ch. 8.. N52 22..

at on the 1st 1/2 Lane; the rest level

Survey 21. 1824

Surveyed by

Joseph Wampler

D. S.

East Boundary (var. 4° 30' E.)

North. On the East Bound^y of Sec. 36

20.65 Hick 7 in. di.

40.00 Set 1/4 Sec post for a

M-12 W.O. 48 in S4W 87 Ms.

Do. 12 " N82W 23..

58.80 Aspen 10 in. di.

62.50 A Stream 5 L. Course N.E.

65.68 Elm 18 in. di.

80.00 Set post Cor. to Sect. 25436 for a

W.O. 15 in. S14W 111 Ms

R.O. 12.. N52W 224..

Sound Rolling & 2nd rate Timber.

Oak, Beech, Elm, Aspen, Hickory.

Cherry &c.

J. Mullett
May 1825

On the East Boundary of Sec. 25

W.O. 8 in di.

Hick 8 " "

Set $\frac{1}{4}$ Sec post for a M-10

B Ash 16 in S 18 W 25 lbs.

Do. 12 " N 2 $\frac{1}{2}$ W 32 "

Ent. Tom. Sap. A Tom. 12 in diam.

Lower Sap. A Tom. Fin diam.

Set post Cor to Sect 24 & 25 for a

W.O. 18 in S 7 W 82 lbs M-9

Sugar 7 " N 13 W 74 "

Land Leveling & 2nd rate. Timber

Sugar, Beech, Oak, Ash, Elm.

Lynx & Hickory.

North On the West Bound. of Sec. 24

12.50 W.O. 14 in di.

30.40 W.O. 20 " "

40.00 Set $\frac{1}{4}$ Sec. post for a

M-8. Iron. 6 in S 14 W 35 lbs.

Maple 16 in N 10 W 53 "

58.82 A Brook 8 in. Course N. W.

57.55 B. Oak 24 in diam.

80.00 Set post Cor. to Sect. 13 & 24 for a

Pce. 18 in S 9 W 90 lbs

Do 8 " N 39 W 27 "

Land Level & 2nd rate Timber. Oak

Beech, Sugar, ~~Lynx~~ Elm Maple

Snowwood &c. M. S. same.

North On the East boundary of Sec. 1 S. 1 W. 12 E. 33.

13.57 W.C. 24 in. di.

18.00 A. 40 l. in. Course West

27.28 B. C. 10 in. di.

40.00 Set a 1/4 Sec post for a

7 feet, 6 in. S 4 W 23 l. in.

Measured 6 in. S 76 1/2 W 13 in.

66.23 A W Oak - in. diameter

80.00 Set a temporary post.

Land & Timber same as last mile.

May 27 1825

Surveyed by

John Mullett D. S.

Subdivisions.

Apr. 27 Between Sections 35 & 36.

24.00 Hick. 8 in. di.

40.00 Set 1/4 Sec post for a K-12

W.C. 18 in. S 5 1/2 E 48 l. in.

Do. 14 in. N 82 1/2 E 63 in.

50.50 Enter Town. Sawompa.

57.22 Town. 8 in. di.

55.00 Left Trip. K-11

10.00 Set post for to Sec. 25, 26, 35 & 36 for.

Elm 16 in. N 11 W 12 l. in.

Do. 9 in. S 12 W 26 in.

Land level of 2nd cont. Timber.

Oak, Hickory, Elm &c.

Mrs. McGraw's Sassafras & Hazel

East On a Random between Sect. 25 & 36

40.00 Set a temporary 1/4 Sec. post

80.00 Set the N & S line 38 1/2 N. of post

Land Level 8 1/2, over Timber

Over Hick & Beech, & Aspen

Under growth to Hazel & Sassafras.

West Corrected Betw. Sect. 25 & 36

19.17 W.O. 16 in di.

40.02 Set a 1/4 Sec post for a

6-11 Boplar 6 in S. 60 W 30 N.

B. Oak 8" N 50 1/2 E 17"

60.24 W.O. 20" di.

80.04 To Sec Corner

+ at the Round here it

HERVEY PAIKE

1/4 W. Between Sections 25 & 26

50.80 W.O. 24 in di.

50.00 Set 1/4 Sec post for an

6-10 1/4 Sec 12 in N 138 1/2 E 17"

Clear 18 in. North 5 1/2

59.02 Entire Swamp, Tamarac & Maple.

50.06 Maple 9 in di.

7 5.56 Set Swamp.

80.00 Set post Cor. to Sect. 23, 24, 25 & 26

6-9 S.W. Corner of School House. S 41 1/2 E 17 1/2 N. Aspen

W. P. 30 in. S 14 W 64 N.

B. Cherry 6 in. S. 7 1/2 W. 193 N. Aspen

R. C. 10". N 1/2. E 10 1/2"

Lowest source of last mile except Swamp

Oct. 8th 1825

East On a Road in Between Sects 24 & 25

- 20.00 Enter Tam. Swamp.
- 30.00 Left " "
- 40.00 Set a trap 1/4 Sec. post
- 44.00 Enter Willow Swamp.
- 54.25 A Brook 12 in. Course S.W.
- 61.00 Left Willow Swamp & Enter Tamarac
- 65.00 Left Tamarac Swamp
- 79.98 Set the East Corner at 400 yds. South of post

Land level at 2nd post. Timber. Oak & Rich. Barrow

West Connected Between Sects 24 & 25

- 19.54 Tam. 10 in. diam.
- 59.99 Set 1/4 Sec post at 400 yds. on the line between
- timbered 5 in. 1970 C. 1 M.
- 20.50 1978 16.
- 60.07 W.C. 20 in. di.
- 79.98 To Sec Corner

North Between Sections 23 & 24.

- 27.62 W.C. 14 in di
- 45.00 Set 1/4 Sec. post for a corner
- W.C. 6 in 546.8 79 M.
- W.C. 14 in at 1 1/2 D. 181 M.
- W.C. 7 in 188 1/4 W 87 1/2 M. Range
- Co. 18. 188 W 233.
- 58.58 Elm 18. diam.
- 59.00 Enter Tam. Swamp.
- 70.00 Set post Co. to Sect 13, 14. 238 & 24 fur. in

Elm 14 in. N 61 E 9 M

Tam. 16. South 38 1/2"

Land level 1 1/2 mile 2nd post. On

the 2nd 1/2 mile 3rd post. Timber. Oak.

Elm, Tamarac & U.S. Oak & Alder

North Between Sections 34 & 35

20.36 Hick^y 10 in. di.

J-1140.00 Set $\frac{1}{4}$ Sec. post for an

Aspen 16 in S 57 W 41 Mo

B. Oak 8", N 18 $\frac{1}{2}$ E 11 $\frac{1}{2}$ in.

65.25 B. Walnut 18 in di.

J-1180.00 Set a post for to Sect. 26. 27. 34 & 35 ju.

B. O. 20 in. S 31 E 21 Mo.

Hick^y 20" N 22 E 15"

Land gently rolling to S. note

Timber Oak, Hick^y, B. Walnut &c

Pending to Hazel, Aspen & Spruce some

Corr. On a Random Between Sects 26 & 35

40.00 Set a temp^y $\frac{1}{4}$ Sec post

80.09 Set the N 4 S line 29 Mo south of the post

Land level. Soil & Timber. same as last page.

W. S. Oak. H. C.

View recorded Between Sects 26 & 35

40.04 $\frac{1}{2}$ Set a $\frac{1}{4}$ Sec post for a (By Record) J. O.

J-11 11. 6. 20. 7. 3. 6 24 Mo

10 5. 19 E 65.

86.09 50 Sec. Corner.

T. A. M. 2 1/2

East Van Housden between Sect 27 & 34

26.75 Enter Town Swamp

33.25 A Brook 8 l.w. Course S.W.

34.00 Left Trap

40.00 Set a trap 1/4 Sec. post.

40.40 A Brook 5 l.w. Course North

79.98 Oak struck 1/2 l.w. 24 l.w. South of post

Land on the 1st 1/2 mile heavy timbered

with Oak, Elm, Hick? Spruce 2 1/4 mile

Oak openings. N.E. tract

West Corner between Sect 27 & 34

20.25 M.P. 6 in. di.

39.99 Set 1/4 Sec. post at road on the tree line for

H-1 Aspen 10 in. S.S. W 15 l.w. 20 l.w. 4 898 39 l.w.

62.49 Fringing 6 in. di.

79.98 To Sec. Corner.

T. A. B. 2 M.

North Between Sections 27 & 28.

15.50 B. Oak 22 in. di.

40.00 Set 1/4 Sec. post for a

Cherry 14 in. S 88 W 25 l.w.

Poplar 6 in. N 46 E 14 in.

43.10 A Brook 12 l.w. Course west

63.72 A Poplar 24 in. di.

63.90 A Brook 10 l.w. Course S.W.

69.70 To Lane 8 in. S.E.

73.64 " Lane 8 in. S.W.

82.00 Set post Cor to Sect 21. 22. 27 & 28 for

Poplar 12 in. North 10 l.w.

Do. 12 in. S 34 E 10 in.

Land Rolling & heavy timbered;

2 1/2 level openings and 2 1/2 rot soil

Dec. 27th 1825.

East on Road. Rohn seed 29832

22.44 A Brook 37 in. Course S.

40.00 Lot timber 1/4 Sec. part

80.22 part NW S line 2 1/2 ac. part

Next on line line bet. S. 29832

22.92 N Oak 18 in. diam.

40.11 Set 1/4 Sec part road. for

Road 10 S 36 9 1/2

15 Ash 7 W 66 37

80.22 To Dec. Corner

West between seed 30831

40.00 Set 1/4 Sec part for

down road 7 S 89 60

Double from 24 W 82 66

49.00 A Brook 14 in. Course S.

55.20 Maple 14 in. diam.

72.25 A Brook 4 in. Course S.

79.72 part West boundary 24 Sec part

A-11 W Oak 20 W 72 92

F-10 Rd Poplar 6 S 78 56 1/2

Lower corner

PAUL

HEPNER

FEB

1826

North Babylon seed 29 & 30

28.70 N. York 26 in. diam.

40.00 Lot 1/4 See post for

W. Oak 24 S 20 W

W. Oak 24 S 20 W

Do 20 N 13 E

3 3/4
4 1/2

57.54 W. Oak 12 in. diam.

80.00 Set post cor Seed 19.20. 29830

W. Oak & N 60 E

Do. 12 S 40 W

Same same

55

23

East On Road. Botin seed 20829

40.00 Lot 1/4 See post

58.56 of Black 12 in. Round S.E.

80.26 Set 1/4 S line 281 W of P

found on 1 1/2 mile same as

last mile. 29 1/2 1st set & rich

Quartz Oak, 4 1/2, N Walnut,

Butternut, Sycam, Elm, Beech etc.

Wedge same

W. Oak Connected with Seed 20829

21.86 Sycam 12 in. diam.

40.13 Set 1/4 S set post at cor, dist

W. Oak 14 in 332 W 14 1/2

Do 18 374 E 25 1/2

62.01 W. Oak 6 in. diam.

80.26 to Seaton Corner

74

West-Belgium Seed 198-30

22.60 W. Oak 12 in. diam.

40.00 Set 1/4 See last fur

near High Point 5 in. S. 22° E. 232 ft

13.50 1/4 W 24 16

near High Point 5 in. S. 22° E. 163 ft

Monrovia 6 S 3 W 18

63.80 W. Oak 18 in. di.

79.66 Set West Boundary 5 S 8 West

A-9 W. Oak 30 S 9 E 5 1/2 ft

7 1/2 ft Elm. 9 W 11 E 8

Small same as last mile

75

North Belgium Seed 198-20

20.87 W. Oak 24 in. diam.

40.00 Set 1/4 See last fur

W. Oak 17 S 7 W 17

Maple 18 W 12 W 28

63.58 Beech 12 in. diam.

90.00 Set last cor seed 17.18.19820

Beech 26 W 2 E 20

Sycam 7 S 2 E 34

Small same

Feb 19 25th 1826