



W on S Hwy of Sec 33

2145 a N 16 in dia

4000 a/c gr. Rec. post from which

on Elm 7 in dia base N 72° E 47' bearing

a " 14 " " " N 67 1/2 W 40 " "

4500 a Hwy. 30 " "

7400 a/c Rec. post

8000 a/c Rec. post cor. of Rec. 32533 from which

on Elm 16 in dia base N 24 E 65' bearing

a " 16 " " " N 21 E 620 " "

Rolling Cape Land

W on S Hwy of Sec 32

4000 a/c gr. Rec. post in Pra from which

2145 a N 16 in dia base N 16 1/4 W 632 bearing

no other bearing trees

4440 a Cor. 25th Mile Course S

5000 Rec. post

5610 a N 17 in dia

8000 a/c Rec. post cor. of Rec. 31552 from which

a Hwy 12 in dia base N 35 W 35 1/2 bearing

on Oak 10 " " " N 36 E 30 " "

Rolling Cape Land

W on S Hwy of 31

655 a N 12 in dia

3100 a/c Rec. post

3276 a Run 3/4 mile course S

4000 a/c gr. Rec. post from which

2145 a N 18 in dia base N 31 W 361 bearing

no other bearing trees

8750 Rec. post

8659 a Hwy 30 in dia

8000 a/c Rec. post cor. of 2141 N 12 E from which

58.50 leave Pa

62.50 enter Sam. Camp.

76.54 balance of Bdry, 296 lbs. H. of Pa.

At post at Mountain Co. 9.20.45

a Sam. 7 in. ears S 57 W 192. H. of Pa.

a " 8 " " S 46 E 41 " " "

Lead level nearly Pa. & camp. Sam. H. of Pa.

Sam. Wyr. Name

A 11 in. 31 x 32

111 a WD 36 in. dia.

4000 alt gr. Ae. post from water.

C 12 a WD 12 in. ears H 95 E 23 H. of Pa.

a " 24 " " S 72 W 46 " " "

59.94 a " 9 " dia.

8000 alt post cor of Ae. 29.32 31.92 32.15

C 11 a WD 8 in. ears H 9 E. 133 H. of Pa.

a " 18 " " S 60 E. 205 " " "

Lead level sandy 2nd rate dim. H. of Pa. Wyr.

Wyr. same with green weeds

P on Paulson Btm 29 X 32

1400 enter marsh

1976 a Creeks to the with corner S

3456 a " 20 " " " S.W.

4000 alt temp. gr. Ae. post. in marsh

5500 leave marsh

6000 enter Pa.

7975 balance of S line to W. of post

Lead Marsh & Pa. dim. reserve Wyr. grass

11 Corrected Btm. 29 x 32.

3487 1/2 alt gr. Ae. post at water level from water

in marsh on trees

7975 to Ae. Cor.



W Str. 30 + 31

7.50 enter trucky Jam. Amp

9.05 a Jam 9 in dia.

20.50 leave Amp

21.30 a RD11 in dia

26.50 enter Fra

45.00 RR gr. see post from which (in Pa or King)

B-11 on Dept 9 in bears 75 1/2 W 55 Standard

on other bearing trees.

7.00 leave Amp

63.50 a Rd. 13 in dia

79.10 entrance W. Byg. 28 W 1/2 S 1/2 part

A-11 set post at intersection on p 30 + 31 from station

a W 1/2 in bears N 59 E 30 W 1/2 in dia

a " 32 " " 86 1/2 E 0 1/4 " " "

dead trees 2nd pole down track

Wp. same with grass weeds.

W Str. 19 + 20

39.00 leave Fra

45.00 RR gr. see post from which

a W 1/2 in bears N 64 1/2 E 43 Standard

a Rd 13 " " N 28 E 10 1/2 " "

46.91 on Rd 10 in dia

63.62 a W 1/4 " "

79.62 entrance W. Byg. 27 W 1/2 S 1/2 part

set post at intersection on p 20 + 19 30 from which

a Rd 18 in bears N 67 1/2 E 30 W 1/2 in dia

a W 1/4 10 " " 84 1/2 E 20 " "

dead trees 2nd pole 10 1/2 m from

line. N 70 E, 20 h x 4 gr. same with trees

W Str. 18 + 19

35.50 leave March

45.00 RR gr. see post from which

a W 1/8 in bears N 82 E 27 W 1/2 in dia