

WF1
60

SEC 5, WHEATFIELD
TWP.

SEE PAGE 45 WM-1
SEC. 32 WILLIAMS TWP

TOPROW B- TOWN

STATION

PRISM SADDLE "A"

492.130 150.003

492.135 150.004

150.003

PRISM "B"

492.140 150.005

492.135 150.005 M

WF1
60

CREW IDENTIFICATION

R.H. - RON HELSEL PS #18994

D.M.H. DAVE HELSEL

R.S. RON SPALDING

D.H. DICK HACKETT

F.S. FRANK SICKA

T.F. TOM FREEMAN

78
 10F-1
 T3N 21E
 C-5
 6-497
 BH-F5

COE COMMON TO SEC. 7, 8, 17 & 18
 EXCAVATED & FOUND PLOW POINT
 OVER STRUCK & BRICE 10.00 NORTH OF
 & NOBLE ED ON FENCE LINE TO SOUTH
 FOUND N.D. 514 TMS ON W/SIDE
 OF 14" WOOD ANCHOR POST AS THE
 ONLY REMAINING CURBESS SET 20' X 20'
 FOUND PIN & CAP P.A. 345 AS 18994
 OVER PLOW POINT IN MOUNTAIN
 BOX AT SURFACE OF ROAD
 SET 1/2" X 1/8" BRASS CAP 12" NORTH OF
 WEDGE OF BIT PIN 8' DEEP
 AZ 04° 10.59'
 DITTO ABOVE
 AZ 80° 43.96'
 FOUND NET w/side NORTH 14' ANCHOR
 AZ 186° 24.53'
 SET NET AS 18994 W/SIDE 5" HICKORY
 AZ 235° 41.88'
 SET NET AS 18994 w/side 5" ELM
 AZ 192° 41.82'

78
 10F-1
 A-5

COE COMMON TO SEC. 7 & 18
 FOUND 1/2" BRASS & CAP NA.
 17600 5' BELOW BIT SURFACE
 AT MERIDIAN ED 3' SOUTH &
 WORTH ED & ON MERIDIAN ED
 DISTANCE RECORDED BY A.P. DRINKS
 CALLED FOR 234 CHAINS NORTH OF
 SE COE SEC. 12 (A-5) ALK 1500 17600
 YOUNG AS 17600 SET COE ON
 MERIDIAN LINE AT 234 CHAINS
 EXCAVATED THEN 6' BIT 4' CE & 4'
 BIT DOWN TO CLAY SUBSTR. ACCORD
 POSITION AS SET BY YOUNG & SET
 3/4" FORM PIN & CAP
 SET NET 18994 ON W/SIDE 45 MARK
 AZ 120° 278.95'
 SET 1/2" BRASS CAP 18994 5.5' WEST
 OF WEDGE BIT ED 6' DEEP
 AZ 273° 17.38'
 SET NET W/SIDE 9" ELM
 AZ 349° 43.57'
 SET 1/2" BRASS CAP 8.5' OFF SEC 9 ED ACC.
 DITTO AZ 122° 33.92'

WFE-1

A-4

6-5-97
PH-F.S.

FOUND 1/2" IRON SHEET WASHED
 CAMP N 40° W. MON. ED ONLY (1)
 REMAINING WITNESS 1/2" CAMP ESTE
 SET MON BOX OVER ROE ON
 TOP OF ^{ROCK} HOLE COLLAR 100'
 BELOW SET CAMP N 345° S
 10994 ON 1/2" SHEET FENCE POST
 35' E / E MERIDIAN ET
 SET WALK THE 18994 ^{WEST} SLIDE TPOLE
 AZ 210° 79.29
 SET WALK THE 18994 W/50E 6' ELM
 AZ 67° 37.97
 SET 1/2" IRON SHEET CAMP 18994 6' IRON
 6" WEST / WEST EDGE 8.7 PAIR
~~WEST~~ AZ 278° 21.47
 SE ONE BACK FACIA OF HOUSE END
 AZ 526° 181.59' #2835
 CAMP N 13" CAMP W/END
 AZ 112° 28.75'

A-3

(78)
WFE-1

FOUND 1/2" IRON ^{E CAMP 18998} SHEET W/ CONC
 MON. 20' EAST OF MERIDIAN ED 10' E
 SOUTH & LUNG ED TO EAST FOUND
 WITNESS TREES & OBJECTS DESCRIBED
 IN L.C.R.C. 45.4210 RETURNED
 POSITION AS ORIGINAL REPERIMENTAL
 OF DOGWER CHASED STEEL MON COLLAR
 TO BRUSH CUT CHASED OVER COLLAR
 COLLAR
 TO NET #18998 W/SLIDE 15' ELM
 AZ 26° 76.96
 ED 4" 58" CONC HELY MARKER TOP
 OF 1899 81.55
 ED 4" 58" CONC POST #
 AZ 440 38.34
 SET WALK SLIDE 30' W/END
 AZ 215° 68.44

80
WF 1
A-2
6-6-97
D.H.F.S.

WEST 1/4 COE SEC 6
FOUND 3/4" PIPE 1 1/2' EAST E
MEDIAN BOARD WITH CAP # 18998
IN TOP FOUND (2) of (3)
WITNESSES RECORDED & CONFIRMED
BY SURVEYORS STENOMAN & STEPHENS
ON LINE WITH INTERMEDIATE FENCE
TO EAST @ NE COE of woods

SET NET W/SIDE 32' DAC
AZ 95° 29.50'

SET NET W/SIDE 5' HICKORY
AZ 68° 35.84'

SET NET W/SIDE DOUBLE 14' ELM
AZ 34° 42.27'

FOUND NET W/SIDE 14' PIGNUT
AZ 168° 88.12'

FOUND NET W/SIDE 30' MAPLE
AZ 173° 125.22'

FOUND NET S/SIDE 28' OAK
AZ 329° 32.72'

7-5-97
D.H.F.S. WF 1 80

A-1 & A-13 of TAN EYE
FOUND 1/2" ROUND BND & CAP # 1891003 OF
SURFACE OF E of MEDIAN RD.
EXCAVATED DEEP HOLE DOWN
THRU 2 LAYERS OF ASPHALT & 10"
OF GRAVEL & 3' DEEP TO CLAY
BOARD BED FOUND FRAGMENTS TO BE
BUILT UP 5' FROM NATURAL CORNER
TO EAST & WEST FOUND B&C # 18989
TO EAST BND FOUND ALL (3)
WITNESSES SET BY SURVEYOR DYER
12' BEYOND 1/2" BND FOUND DOUBLE
DIER AND THREE 1/2" BND DID NOT
FIND ANY OTHER EVIDENCE. SET
3/4" X 24" FORM BND & CAP # BND TO
SURFACE,
SW COE OF BECK MAIL BOX AZ 330° 34.38'
NET # W/SIDE ROLL # 21505 AZ 352° 114.96'
1/2" RND BND EAST 1240'
1/2" " " WEST 1192'
EAST B&C # 18989 53.19'

(81) W/S 1

~~4~~ core sec 7
W 7 core sec 8

6-13-97
AS.

T3U - R1E (WHEATFIELD TWP)

COUNTY BAR & GAP (BEKMAN) HT. 5830

IN HOLE OF ROTTED 12" WOOD ALTHOUGH

POST ON WIRE FENCE BUILDING

WESTWARD & EASTWARD

FD 3 OF 3 WITNESSES SET BY

BEKMAN ON 12-3-92. BEST NEW

WITNESSES ABOVE ESTIMATING WITNESSES.

SET N-TAG NE SIDE 10" OAL

AZ = 155° M = 12.74

SET N-TAG NW SIDE 10" OAL

AZ = 73° M = 8.22

SET N-TAG S, SIDE 8" ASH

AZ = 300° M = 8.36

SET N-TAG N-SIDE 10" ASH

AZ = 230° M = 13.80

SET N-TAG E-SIDE 12" ASH

AZ = 325° M = 21.65

6-13-97

W/S

(81)

EXCAVATED & FOUND PAUL

HANDLE & METAL REMAINS OF PAUL

AROUND CIRCLE OF SMALL STONES

12" DEEP & 12" SE FROM POST 12" OAL

ACCORDED AS PYREAS COVER AS

SET IN 1865.