

WE1
60

SEC. 5, WHEATFIELD
TWP.

SEE PAGE 45 WM-1
SEC. 32 WILLIAMSTOWN TWP

TOWN B- TOTAL

STATION

PERSN SADDLE "A"

492.130 150.003

492.135 150.004

150.003

PERSN "B"

492.140 150.005

492.135 150.005 W

CREW IDENTIFICATION

R.H. - RON HESSEL RS #18994

D.M.H. DAVID HESSEL

R.S. RON SPRADLING

D.H. DICK HACKETT

F.S. FRANK SICA

T.E. TOM FREEMAN

WE1
60

W.F.-1

C-5

COE COMMON TO SEC. 7 & 8 17 1/2' NB

EXCAVATED & FOUND PLOW POINT

OVER STAKE & BEICE 1.0 NORTH OF

E MOBLE RD ON FENCE LINE TO SOUTH

FOUND M.D. 514 TMS ON W/SIDE

OR 14" WOOD NUTCHER POST AS THE

BURY REMAINS WITNESS SET 3/16"

FORM PIN & CAP P.A. 345 AS 18994

OVER PLOW POINT IN MOUNTAIN

BOX AT SURFACE OF ROAD

SET 1/2" X 18" BNC & CAP 12" NORTH OF

W/EDGE OF BIT. PAUT 8' DEEP

AZ 04° 10.59'

DITTO ABOVE

AZ 80° 43.96'

FOUND NET w/side MASH 14' NORTH

AZ 186° 21.53'

SET NET AS 18994 W/SIDE 5" HICKORY

AZ 235° 41.88'

SET NET AS 18994 w/side 5" CEM

AZ 192° 41.82'

A-5

W.F.-1

COE COMMON TO SEC 7 & 8

FOUND 1/2" BNC & CAP NO.

17640 5' BELOW BIT SURFACE

OF MERIDIAN RD 3' SOUTH &

NORLE RD & ON E MERIDIAN RD.

DISTANCE RECORDED BY H.P. DRETS

DILLED FOR 234 CHAINS REPORT OF

SE COE SEC. 12 (M-5) AS 18994

YOUNG AS 17640 SET COE ON

MERIDIAN LINE AT 234 CHAINS

EXCAVATED THEN D. BIT 4" DE & 4"

BIT DOWN TO CLAY SURFACE RECORDED

POSITION AS SET BY YOUNG & SET

3/4" FORM PIN & CAP

SET NET AS 18994 ON W/SIDE 45 MARK

AZ 120° 278.95'

SET 1/2" LEAD BNC & CAP AS 18994 5.5' WEST

OF W/EDGE BIT RD. 6' DEEP

AZ 273° 17.38'

SET NET w/side 9" CEM

AZ 349° 43.57'

SET 1/2" 1/8" CAP 8.5' OFF SELLY RD ARE

6' DEEP AZ 122° 33.92'

WE-1
79

A-4

6-5-97
E1-E5

FOUND 5" IRON SHEET WASHED
 CAMP IN 4" DOOR. MON. ED ONLY (1)
 REMAINING WITNESS 1" CAMP ESTE
 SET MAN BAR OVER ROE ON
 TOP OF ^{ROE} COULI COLLEGE T.O.
 BEBBOU SET CAMP IN 345 RS
 10994 ON 1/2" BARE FENCE POST
 35' E/E MEDIUM ED
 SET MARK THE 18994 ^{WEST} SIDE POLE
 AZ. 210° 79.29
 SET MARK THE 18994 ^{WEST} SIDE 6' ELM
 AZ. 67° 37.97
 SET 4" 180 BARE CAMP 18994 6' DEEP
 6" WEST / WEST EDGE 81.791
~~SET~~ AZ 278° 21.491
 SE COE BACK FACIA OF HOUSE RD.
 AZ 526° 181.59' #2535
 CAMP IN 18" CAMP W/END
 AZ 120° 82.75

A-3

(73)
WE1

FOUND 1/2" IRON ¹⁸⁹⁹⁸ BARE IN COUC
 MON. = 20' EAST OF MEDIUM ED & 10' E
 SOUTH E COUC ED TO EAST FOUND
 WITNESS TREES & OBJECTS DESCRIBED
 IN L.C.R.C. 45. P. 210 ACCENTED
 POSITION AS ORIGINAL REPERIMENTAL
 DE DOOPER CHASED STEEL MON COUC
 TO BRACKET AT LEASE OVER COUC
 POLAR
 FOUND AT 18998 W/SIDE 15' ELM
 AZ 26° 76.96
 ED 4" 50 COUC KEY MARKER TOP
 OF 1310 81.55
 ED 4" STEEL POST #
 AZ 44° 58.34
 SET W/ST EXIDE 30' W/IRON
 AZ 219° 68.44

80
 WE 1
 A-2
 WEST 1/4 COE SEC 6
 FOUND 3/4" PIPE 1 1/2' EAST E
 MERIDIAN BOUND WITH CAP # 18998
 IN TOP FOUND (2) OF (3)
 UTILITIES RECORDED & CONFIRMED
 BY SURVEYOR STEPHAN & STEPHENS
 ON LINE WITH INTERMEDIATE FENCE
 TO EAST @ NE COE of woods

6-6-97
 B.H.K.S.

SET NET	N/SIDE	32" OAC	
A2	95°	29.50'	
SET NET	N/SIDE	5' WOODY	
A2	68°	35.84'	
SET NET	W/SIDE	DOUBLE N/E LN	
A2	34°	22.27'	
FOUND NET	W/SIDE	18998	14' DIAGONAL
A2	168°	88.12'	
FOUND NET	W/SIDE	18998	30' ANGLE
A2	173°	125.22'	
FOUND NET	S/SIDE	18917	28" OAC
A2	329°	32.72'	

7-5-97
 B.H.K.S. WE 1 80

A-1 & A-13	of TALL EYE	
FOUND 1/2" IRON BAR & CAP	# 189103 OF	
SURFACE OF E of MERIDIAN RD.		
EXCAVATED DEEP HOLE DOWN		
THRU 2 LAYERS OF ASPHALT & 10"		
OF GRAVEL & 3' DEEP TO CLAY		
ROAD BED BOUND APPROX TO BE		
BUILT UP 5' FROM UTILITY CROWN		
TO EXIST WEST FOUND 8 1/2" # 18989		
TO EAST END FOUND ALL (3)		
UTILITIES SET BY SURVEYOR DUE		
12' BELOW 1/2" BAR FOUND IN LINE		
DUE AND OTHER 1/2" BAR DID NOT		
FIND ANY OTHER EVIDENCE. SET		
3/4" x 24" IRON ANGLE CAP & MARK BAR TO		
SURFACE.		
SW COE OF BECK MAIL BOX	A2 330°	34.38'
NET # W/SIDE POLE # 21505	A2 352°	114.96'
1/8" IRON BAR EAST		1240'
1/2" " " WEST		1192'
EAST 8 1/2" # 18989		53.19'

(81) W/F 1

C-4
E4 CORE SEC 7
W7 CAL SEC 8

6-13-97
FS.

TRU - RIE (WHEATFIELD TWP)
COWD'S BAR & GAP (BEKMAN) #25832
IN HOLE OF ROTTED 12" WOOD ARCHER
POST, ON WIRE FENCE BUILDING
WESTWARDLY & EASTWARDLY
FD 3 OF 3 WITNESSES SET BY
BEKMAN ON 12-3-92. BEST NEW
WITNESSES ABOVE EXISTING WITNESSES.

SET N-54G NE SIDE 18" OAL
AZ = 155° M = 12.74

SET N-74G NW SIDE 10' OAL
AZ = 73° M = 8.22

SET N-74G S. SIDE 8" ASH
AZ = 300° M = 8.36

SET N-74G W- SIDE 10" ASH
AZ = 238° M = 13.80

SET N-74G E- SIDE 12" ASH
AZ = 325° M = 21.65

EXCAVATED & FOUND TRAIL
HANDLE & METAL REMAINS OF TRAIL
AROUND CIRCLE OF SMALL BRANCHES
12" DEEP & 12" SE FROM POST & 1/2" BENE
ACROSS AS SKINNE CORNER AS
SET IN 1865.

6-13-97

W/F

(81)